Table 1-5: All Cancer Causes of Death

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	1352	259. 5	190. 9	180. 4	201. 4
Total Males	675	276. 6	240. 4	222. 1	258. 7
Total Females	677	244. 4	158. 7	146. 0	171. 4
Total Whites	291	160. 6	125. 5	110. 0	141.0
Total Blacks	1044	330. 5	226. 3	212. 1	240. 5
Total Am Ind/As/Pac Isl	13	72. 3	87. 6	38. 5	136. 8
White Males	141	157. 9	147. 7	123. 0	172. 4
White Females	150	161. 1	109. 5	89. 4	129. 6
Black Males	528	360. 9	297. 5	271. 8	323. 2
Black Females	516	296. 2	181. 2	164. 7	197. 8
Am Ind/As/PI Males	5	59. 5	87. 4	9. 6	165. 2
Am Ind/As/PI Females	8	82. 0	84. 0	24. 0	144. 0

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 2-5: Cancer of the Bladder

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	25	4. 8	3. 4	2. 0	4. 8
Total Males	14	5. 7	4. 9	2. 3	7. 5
Total Females	11	4. 0	2. 4	0. 9	3. 9
Total Whites	4	2. 2	2. 4	0. 0	4. 7
Total Blacks	20	6. 3	4. 1	2. 2	6. 0
Total Am Ind/As/Pac Isl	1	5. 6	6. 0	-	-
White Males	3	3. 4	3. 7	-	-
White Females	1	1. 1	1. 3	-	-
Black Males	10	6. 8	5. 6	2. 1	9. 1
Black Females	10	5. 7	3. 1	1. 1	5. 2
Am Ind/As/PI Males	1	11. 9	12. 7	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 3-5: Brain Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	9	1. 7	1. 5	0. 5	2. 4
Total Males	5	2. 0	1. 9	0. 2	3. 5
Total Females	4	1. 4	1. 1	0. 0	2. 2
Total Whites	5	2. 8	2. 7	0. 3	5.0
Total Blacks	3	0. 9	0.8	-	-
Total Am Ind/As/Pac Isl	1	5. 6	8. 6	-	-
White Males	3	3. 4	3. 1	-	-
White Females	2	2. 1	2. 0	-	-
Black Males	1	0. 7	0. 7	-	-
Black Females	2	1. 1	0.8	-	-
Am Ind/As/PI Males	1	11. 9	20. 3	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 4-5: Breast Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	105	20. 2	14. 2	11. 4	17. 0
Total Males	1	0. 4	0. 3	-	-
Total Females	104	37. 5	24. 2	19. 3	29. 1
Total Whites	27	14. 9	11. 3	6. 8	15.8
Total Blacks	75	23. 7	15. 5	11. 9	19. 1
Total Am Ind/As/Pac Isl	3	16. 7	19. 5	-	-
White Males	1	1. 1	1.0	-	-
White Females	26	27. 9	20. 7	12. 0	29. 3
Black Females	75	43. 1	25. 7	19. 6	31.8
Am Ind/As/PI Females	3	30. 7	32. 9	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 5-5: Cervical Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
Total Females	19	6. 9	4. 9	2. 7	7. 1
White Females	4	4. 3	2. 8	-	-
Black Females	15	8. 6	6. 0	2. 9	9. 1

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 6-5: Cancer of the Colon excluding Rectum

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	117	22. 5	16. 0 13. 0 19. 1
Total Males	45	18. 4	15. 8 11. 1 20. 4
Total Females	72	26. 0	16. 2 12. 1 20. 3
Total Whites	27	14. 9	9. 2 5. 5 12. 8
Total Blacks	88	27. 9	19. 3 15. 0 23. 5
Total Am Ind/As/Pac Isl	1	5. 6	7. 5
White Males	12	13. 4	11. 3 4. 9 17. 7
White Females	15	16. 1	7. 5 3. 0 11. 9
Black Males	33	22. 6	18. 7 12. 3 25. 2
Black Females	55	31. 6	19. 3 13. 8 24. 7
Am Ind/As/PI Females	1	10. 2	11. 2

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 7-5: Endometreal Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
Total Females	21	7. 6	5. 5 3. 1 8. 0
White Females	3	3. 2	2. 5
Black Females	18	10. 3	6. 9 3. 6 10. 3

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 8-5: Esophageal Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	47	9. 0	7. 5 5. 3 9. 6
Total Males	35	14. 3	13. 1 8. 7 17. 4
Total Females	12	4. 3	3. 0 1. 3 4. 8
Total Whites	3	1. 7	1.0
Total Blacks	43	13. 6	10. 5 7. 3 13. 7
White Males	3	3. 4	2.9
Black Males	31	21. 2	19. 1 12. 3 25. 9
Black Females	12	6. 9	4. 2 1. 8 6. 7

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 9-5: Hodgkins Lymphoma

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	5	1. 0	0. 7 0. 1 1. 2
Total Males	1	0. 4	0.4
Total Females	4	1. 4	0.8 0.0 1.7
Total Whites	1	0. 6	0.4
Total Blacks	3	0. 9	0.6
Total Am Ind/As/Pac Isl	1	5. 6	4. 2
White Females	1	1. 1	0.7
Black Males	1	0. 7	0.6
Black Females	2	1. 1	0.5
Am Ind/As/PI Females	1	10. 2	7.6

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 10-5: Cancer of the Kidney & Renal Pelvis

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	15	2. 9	2. 2 1. 0 3. 3
Total Males	13	5. 3	4. 7 2. 1 7. 2
Total Females	2	0. 7	0.5
Total Whites	3	1. 7	1. 2
Total Blacks	12	3. 8	2. 8 1. 2 4. 4
Whi te Males	2	2. 2	2.1
White Females	1	1. 1	0.6
Black Males	11	7. 5	6. 3 2. 5 10. 0
Black Females	1	0. 6	0.5

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 11-5: Laryngeal Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	19	3. 6	3. 0 1. 6 4. 4
Total Males	15	6. 1	5. 8 2. 9 8. 8
Total Females	4	1. 4	0. 9
Total Whites	4	2. 2	2.1
Total Blacks	15	4. 7	3. 5 1. 7 5. 3
White Males	3	3. 4	3.7
White Females	1	1. 1	0. 3
Black Males	12	8. 2	7. 1 3. 0 11. 1
Black Females	3	1. 7	1.1

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 12-5: Leukemia

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	35	6. 7	5. 1	3. 3	6. 9
Total Males	17	7. 0	6. 3	3. 3	9. 4
Total Females	18	6. 5	4. 3	1. 9	6. 7
Total Whites	16	8. 8	7.4	3. 6	11. 2
Total Blacks	19	6. 0	4.4	2. 2	6. 7
Whi te Males	10	11. 2	11. 7	4. 4	18. 9
White Females	6	6. 4	3.0	0. 5	5. 4
Black Males	7	4. 8	3. 9	1. 0	6.8
Black Females	12	6. 9	5. 0	1. 5	8. 5

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 13-5: Liver Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Rate Lower	Interval Upper
All Races & Sexes	31	5. 9	4.3 2.7	5.8
Total Males	17	7. 0	6. 1 3. 2	9. 0
Total Females	14	5. 1	2. 6 1. 1	4. 0
Total Whites	5	2.8	1. 7 0. 1	3. 4
Total Blacks	26	8. 2	5. 7 3. 5	8. 0
Whi te Males	1	1. 1	1. 2 -	-
White Females	4	4. 3	1.8 -	-
Black Males	16	10. 9	9. 3 4. 7	13. 9
Black Females	10	5. 7	2. 9 1. 0	4. 7

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 14-5: Lung & Bronchus Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	329	63. 1	48. 2 42. 9 53. 5
Total Males	184	75. 4	66. 9 57. 1 76. 6
Total Females	145	52. 3	35. 7 29. 6 41. 8
Total Whites	70	38. 6	32. 2 24. 3 40. 0
Total Blacks	256	81. 0	56. 9 49. 7 64. 0
Total Am Ind/As/Pac Isl	2	11. 1	11.9
White Males	34	38. 1	36. 4 24. 1 48. 8
White Females	36	38. 7	29. 3 18. 7 40. 0
Black Males	150	102. 5	85. 7 71. 8 99. 6
Black Females	106	60. 9	39. 0 31. 3 46. 6
Am Ind/As/PI Females	2	20. 5	21.0

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 15-5: Melanoma

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	6	1. 2	0.9 0.2 1.7
Total Males	5	2. 0	1.8 0.2 3.5
Total Females	1	0. 4	0. 1
Total Whites	5	2. 8	2. 0 0. 2 3. 9
Total Blacks	1	0. 3	0. 2
White Males	4	4. 5	3. 6 0. 1 7. 0
White Females	1	1. 1	0. 3
Black Males	1	0. 7	0.6

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 16-5: Multiple Myeloma

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	36	6. 9	5. 1	3. 4	6.8
Total Males	16	6. 6	5.8	3. 0	8. 7
Total Females	20	7. 2	4. 6	2. 5	6. 7
Total Whites	5	2. 8	2. 6	0. 3	5.0
Total Blacks	30	9. 5	6. 3	4. 0	8. 6
Total Am Ind/As/Pac Isl	1	5. 6	7. 9	-	-
Whi te Males	3	3. 4	3. 7	-	-
White Females	2	2. 1	1. 3	-	-
Black Males	12	8. 2	6. 5	2. 8	10. 3
Black Females	18	10. 3	6. 2	3. 2	9. 2
Am Ind/As/PI Males	1	11. 9	19. 2	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 17-5: Non-Hodgkins Lymphoma

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	42	8. 1	6.0	4. 1	7. 9
Total Males	21	8. 6	7. 2	4. 1	10. 4
Total Females	21	7. 6	5. 2	2. 9	7. 5
Total Whites	14	7. 7	6. 0	2. 6	9. 3
Total Blacks	28	8. 9	6. 3	3. 8	8. 7
White Males	6	6. 7	6. 2	1. 1	11. 2
White Females	8	8. 6	6. 9	1. 7	12. 1
Black Males	15	10. 3	8. 3	4. 1	12. 6
Black Females	13	7. 5	4. 5	1. 9	7. 0

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 18-5: Cancer of the Oral Cavity & Pharynx

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
All Races & Sexes	19	3. 6	2.9 1.5 4.2
Total Males	12	4. 9	4. 4 1. 9 6. 9
Total Females	7	2. 5	1.7 0.3 3.0
Total Whites	2	1. 1	0.7
Total Blacks	17	5. 4	4.0 2.1 6.0
White Females	2	2. 1	1.3
Black Males	12	8. 2	7. 2 3. 1 11. 3
Black Females	5	2. 9	1.8 0.1 3.4

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 19-5: Ovarian Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
Total Females	28	10. 1	6. 3 3. 8 8. 8
White Females	5	5. 4	3. 2 0. 1 6. 3
Black Females	22	12. 6	7. 5 4. 2 10. 9

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 20-5: Pancreatic Cancer

Race-Sex Group	No. of Cases	Crude Rate		terval per
All Races & Sexes	76	14. 6	10. 4 8. 0 1	2. 8
Total Males	35	14. 3	12. 7 8. 5 1	6. 9
Total Females	41	14. 8	8. 5 5. 7 1	1. 2
Total Whites	19	10. 5	8.4 4.4 1	2. 4
Total Blacks	57	18. 0	11.7 8.6 1	4. 9
White Males	11	12. 3	12. 1 4. 8 1	9. 3
White Females	8	8. 6	3.8 1.0	6. 6
Black Males	24	16. 4	13. 5 8. 0 1	9. 0
Black Females	33	18. 9	10.6 6.8 1	4. 4

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 21-5: Prostate Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Interval Rate Lower Upper
Total Males	116	47. 5	39. 0 31. 8 46. 1
White Males	22	24. 6	22. 4 13. 0 31. 9
Black Males	92	62. 9	47. 3 37. 6 57. 1
Am Ind/As/PI Males	2	23. 8	35. 2

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 22-5: Rectum, Anus, Anal Canal & Anorectal Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	18	3. 5	2. 3	1. 2	3. 5
Total Males	10	4. 1	3. 1	1. 2	5. 1
Total Females	8	2. 9	1. 6	0. 4	2.8
Total Whites	4	2. 2	1. 3	-	-
Total Blacks	13	4. 1	2. 8	1. 2	4.4
Total Am Ind/As/Pac Isl	1	5. 6	7. 5	-	-
White Males	3	3. 4	2. 1	-	-
White Females	1	1. 1	0. 3	-	-
Black Males	7	4. 8	3. 9	1. 0	6.8
Black Females	6	3. 4	1. 9	0. 3	3. 6
Am Ind/As/PI Females	1	10. 2	11. 2	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 23-5: Stomach Cancer

Race-Sex Group	No. of Cases	Crude Rate	_ 3 3	95% Conf. Lower	Interval Upper
All Races & Sexes	49	9. 4	7. 3	5. 1	9. 4
Total Males	25	10. 2	9. 1	5. 5	12. 7
Total Females	24	8. 7	6. 2	3. 4	9. 0
Total Whites	11	6. 1	5. 1	1. 9	8. 2
Total Blacks	38	12. 0	8. 6	5. 7	11. 6
White Males	6	6. 7	6.8	1. 3	12. 2
White Females	5	5. 4	3. 7	0. 2	7. 1
Black Males	19	13. 0	10. 8	5. 9	15. 6
Black Females	19	10. 9	7. 2	3. 6	10.8

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 24-5: Thyroid Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj Rate	95% Conf. Lower	Interval Upper
All Races & Sexes	3	0. 6	0. 3	-	-
Total Males	1	0. 4	0. 2	-	-
Total Females	2	0. 7	0. 3	-	-
Total Blacks	3	0. 9	0. 5	-	-
Black Males	1	0. 7	0. 4	-	-
Black Females	2	1. 1	0. 5	-	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 25-5: Other Cancer Causes not Listed

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Inter Rate Lower Upper	
All Races & Sexes	182	34. 9	25. 9 22. 0 29. 7	7
Total Males	87	35. 7	31. 0 24. 4 37. 5	5
Total Females	95	34. 3	22. 1 17. 4 26. 9	9
Total Whites	32	17. 7	14. 9 8. 8 20. 9	9
Total Blacks	150	47. 5	32. 6 27. 2 37. 9	9
White Males	14	15. 7	13. 8 6. 5 21. 7	1
White Females	18	19. 3	16. 4 7. 3 25. 6	6
Black Males	73	49. 9	42.0 32.2 51.7	7
Black Females	77	44. 2	25. 9 19. 8 32. 0	О

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population

Table 26-5: Colon/Rectum Cancer

Race-Sex Group	No. of Cases	Crude Rate	Age-adj 95% Conf. Inte Rate Lower Uppe	erval er
All Races & Sexes	135	25. 9	18. 4 15. 1 21.	. 6
Total Males	55	22. 5	18. 9 13. 8 23.	. 9
Total Females	80	28. 9	17. 8 13. 5 22.	. 0
Total Whites	31	17. 1	10. 5 6. 5 14.	. 4
Total Blacks	101	32. 0	22. 1 17. 6 26.	. 6
Total Am Ind/As/Pac Isl	2	11. 1	15. 1	-
White Males	15	16. 8	13. 4 6. 5 20.	. 2
Whi te Females	16	17. 2	7. 8 3. 3 12.	. 2
Black Males	40	27. 3	22. 6 15. 5 29.	. 7
Black Females	61	35. 0	21. 2 15. 5 26.	. 9
Am Ind/As/PI Females	2	20. 5	22. 5	-

^{**} Rates are per 100,000 population, and Age-adjusted to the 1970 U.S. Standard Million Population